

Bio-Fusion G + Myco + Bio-Mas Soil Enhancer



"Apply Anytime of the Year"

GUARANTEED ANALYSIS

Calcium (Ca).....	14.0%
Sulfur (S)	9.4%
9.4% combined sulfur	

Derived from: Calcium sulfate

CONTAINS NON-PLANT FOOD INGREDIENT:

Soil Amending Ingredients:

8% Humic Acid (Derived from Leonardite)
5% Seaweed Extract (<i>Ascophyllum nodosum</i>)
4% Wood Biochar (Derived from hardwood)
0.03% Bio-Mas Turf Enhancer
0.05% Bio-Fusion RX Rhizosphere Microbes 200 million cfu/g:
Total Other Ingredients:..... 82.92%

Rhizobial Microorganisms

Bacillus subtilis
Bacillus licheniformis *Bacillus megaterium* *Bacillus pumilus*
Bacillus azotoformans *Bacillus coagulans* *Bacillus firmus*
Bacillus amyloliquefaciens
Paenibacillus polymyxa
Paenibacillus durum

Endomycorrhizal Fungi

Pseudomonas aureofaciens
Pseudomonas fluorescens
Streptomyces lydicus
Streptomyces griseus
Trichoderma reesei
Trichoderma hamatum
Saccharomyces cerevisiae

Ectomycorrhizal Fungi

Rhizopogon villosulus
Rhizopogon luteolus
Rhizopogon amylosporum
Rhizopogon fulvipes
Isolitus tinctorius

Net Wt. 40 lb (18.1 KG)

Product Code: Ref16223
Lot# C-XXXXXX

Made in USA
Manufactured & Guaranteed by:
Ferti Technologies
155 East Street Wallingford, CT 06492

Rev1220



Bio-Mas Turf Enhancer

Directions for Use: Apply only as directed. Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to, a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan. Some applications may require higher use rates and/or more frequent applications to produce significant benefits.

For Best Results water in with a minimum of 0.25 inches of water after application to incorporate into soil within 48 hours.

Turf Applications: Application range 5 to 10 lbs per 1,000 sq. ft. Apply at anytime during growing season.

Apply at 8,000 sq. ft. per bag (5 lbs per 1,000 sp. ft.)

Apply at 4,000 sq. ft per bag (10 lbs per 1,000 sq. ft. for poor soil conditions, sandy or compacted soils.

Ornamental Applications: 2 - 4 Tbsp/1 gal container, 2 - 4 Tbsp/1" caliber tree, 1-2 bags per 4 yards of media. **Annuals:** 2-4 lbs per 1,000 sq. ft.



Warning

Causes mild skin irritation.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell. Store locked up. Dispose of contents/container according to local regulations.

Emergency number : CANUTEC: (613) 996-6666 CHEMREC : 1-800-424-9300