





Powered by EBSO

1-0-0

Guaranteed Analysis

Nitrogen(N)	1.0%
Urea nitrogen 1.0%	
Sulfur(S)	2.40%
Magnesium(Mg)	0.50%
Boron(B)	0.05%
Copper(Cu)	0.10%
Iron(Fe)	1.50%
Manganese(Mn)	1.0%
Molybdenum(Mo)	0.001%
Zinc(Zn)	

Derived from: ferrous sulfate, sodium borate, sodium molybdate, Copper sulfate, urea, zinc sulfate, magnesium sulfate, manganese sulfate, amino acids

Dynamic Minors is enhanced with EBS and Amino Acids. Dynamic Minors servers as a micronutrient source.

Guaranteed By:

Turf Trade 517 Franklinville Rd, Mullica Hill, NJ 08062 (856) 478-6704

Net Weight: 46.70lbs (21.18kg)

Density: 9.34lbs @ 68°F

Net Contents: 2.5 Gallons (9.46L)



Dynamic Minors Powered by EBSO

STORAGE AND DISPOSAL

STORAGE: Store at ambient temperatures in dry secure area. Keep container tightly closed. Do not allow water to be introduced into the container contents. DISPOSAL: Dispose of empty containers by triple rinsing or equivalent and discard empty containers in accordance with current Local, State and Federal regulations. Do not contaminate water, food or feed sources by cleaning of equipment or disposal of waste or rinsate.

CONDITION OF SALE

SELLER WARRANTS THAT THE PRODUCT CONFORMS TO ITS CHEMICAL DESCRIPTION AND IS REASONABLY FIT FOR THE PURPOSE STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTION UNDER NORMAL CONDITIONS OF USE. **NFITHER** THIS WARRANTY NOR ΔNY OTHER WARRANTY OF MERCHANTABILITY OR OF A PARTICULAR PRODUCT EXPRESSED IMPLIED. EXTENDS TO THE USE OF THIS PRODUCT **CONTRARY** TO I ARFI CONDITIONS. OR UNDER CONDITIONS NOT REASONABLY FORESEEABLE TO THE SELLER: AND BUYER ASSUMES THE RISK OF ANY SUCH USE.

FOLIAR APPLICATIONS AND RATES ORNAMENTALS/LANDSCAPES: Apply 1 to 2 pints per 100 gallons of water for foliar sprays. Apply 3 to 6 ounces per gallon as a soil drench. Repeat applications as needed

TURFGRASS/SOD (Warm and Cool season): Apply 1 to 3 fl. oz. per 1,000 sq. ft. with sufficient water for coverage.

PRECAUTIONARY STATEMENTS

Avoid prolonged or repeated contact with eyes, skin, and clothing. Chemical goggles or a full face shield should be worn. To protect skin wear appropriate protective equipment, such as rubber or plastic aprons, rubber gloves, and boots. Avoid breathing mist or vapor. Keep containers closed. Wash thoroughly after handling. May cause gastrointestinal distress if swallowed.

