





## 12-0-12

Powered by EBSO

#### **Guaranteed Analysis**

Nitogen (N)......12.0% 12% Urea nitrogen\* Soluble Potash (K2O) ......12.0%

Derived from: urea, potassium acetate

\*N-(n-butyl) Thiophosphosphoric Triamide (NBPT)

Dynamic 12-0-12 uses stabilized urea and servers as a nitrogen and potassium source.

Guaranteed By: Turf Trade 517 Franklinville Rd. Mullica Hill, NJ 08062 (856) 478-6704

Net Weight: 25.23lbs (11.44kg) Density: 10.09 lbs @ 68°F

Net Contents: 2.5 Gallons (9.46L)





# **Dynamic 12-0-12**

#### STORAGE AND DISPOSAL

STORAGE: Store at ambient temperatures in dry secure area. Keep container tightly closed. Do not allow water to be introduced into the container contents. DISPOSAL: Dispose of empty containers by triple rinsing or equivalent and discard empty containers in accordance with current Local, State and Federal regulations. Do not contaminate water, food or feed sources by cleaning of equipment or disposal of waste or rinsate.

#### **CONDITION OF SALE**

SELLER WARRANTS THAT THE PRODUCT CONFORMS TO ITS CHEMICAL DESCRIPTION AND IS REASONABLY FIT FOR THE PURPOSE STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTION UNDER NORMAL CONDITIONS OF USE. **NFITHER** THIS WARRANTY NOR ΔNY OTHER WARRANTY OF MERCHANTABILITY OR OF A PARTICULAR PRODUCT EXPRESSED OR IMPLIED. EXTENDS TO THE USE OF THIS **PRODUCT CONTRARY** TO I ARFI CONDITIONS. OR UNDER CONDITIONS NOT REASONABLY FORESEEABLE TO THE SELLER: AND BUYER ASSUMES THE RISK OF ANY SUCH USE.

### Powered by EBSO

FOLIAR APPLICATIONS AND RATES ORNAMENTALS/LANDSCAPES: Apply 1 to 2 quarts per 100 gallons of water for foliar sprays. Apply 2 to 5 ounces per gallon as a soil drench. Repeat applications as needed

TURFGRASS/SOD (Warm and Cool season): Apply 1 to 3 fl. oz. per 1,000 sq. ft. with sufficient water for coverage every 14-28 days.

PRECAUTIONARY STATEMENTS Avoid prolonged or repeated contact with eyes, skin, and clothing. Chemical goggles or a full face shield should be worn. To protect skin wear appropriate protective equipment, such as rubber or plastic aprons, rubber gloves, and boots. Avoid breathing mist or vapor. Keep containers closed. Wash thoroughly after handling. May cause gastrointestinal distress if swallowed.

