

# SG36

# STEELGREEN MANUFACTURING



Experience the versatility of the SG36 zero-turn spreader/sprayer machine. It has all the power of our larger models but is compact enough to fit through a 36-inch gate. With its dual 15-gallon spray tanks, Spyker 120-pound hydraulic-driven granular system, and high-density poly fertilizer trays, the SG36 holds up to 30 gallons of liquid and 220 pounds of granular product.

## SPECIFICATIONS

**Spray Capacity:** 30 gal.

**Spray Width:** Up to 8'

**Hopper Capacity:** 120 lbs.

**Fertilizer Tray Capacity:** Additional 100 lbs.

**Variable Spread Width:** Up to 25'

**Fuel Capacity:** 5 gal.

**Transport Speed:** Up to 10 mph

**Rate Production:** 120,000 sq. ft. per fill, based on 1/4-gal. spray nozzles

## FEATURES

All Stainless Steel Chassis

Zero-Turn Steering

23.5-HP Kawasaki® Engine (Ask about Vanguard® and Honda® options.)

30-Amp Charging System

Electric Start

15' Coil Hose (75' Hose Reel Optional)

## DIMENSIONS

**Width:** 35.5"

**Length:** 80"

**Height:** 54"

**Front Tire:** 16x6.5-8

**Rear Tire:** 21x7-10

**Weight:** 935 lbs.

**WWW.THETURFTRADE.COM**  
**856-478-6704**



# SG46

# STEELGREEN MANUFACTURING



Offering versatility without compromising capacity, the SG46 zero-turn spreader/sprayer machine has all the power and spreading capacity of our larger model in a more compact size. With its dual 25-gallon spray tanks, Spyker 220-pound hydraulic-driven granular system, and high-density poly fertilizer trays, the SG46 holds up to 50 gallons of liquid and 320 pounds of granular product.

## SPECIFICATIONS

**Spray Capacity:** 50 gal.

**Spray Width:** Up to 8'

**Hopper Capacity:** 220 lbs.

**Fertilizer Tray Capacity:** Additional 100 lbs.

**Variable Spread Width:** Up to 25'

**Fuel Capacity:** 5 gal.

**Transport Speed:** Up to 10 mph

**Rate Production:** 200,000 sq. ft. per fill, based on 1/4-gal. spray nozzles

## FEATURES

All Stainless Steel Chassis

Zero-Turn Steering

23.5-HP Kawasaki® Engine (Ask about Vanguard® and Honda® options.)

30-Amp Charging System

Electric Start

75' Hose Reel

## DIMENSIONS

**Width:** 46"

**Length:** 75"

**Height:** 54"

**Front Tire:** 16x6.5-8

**Rear Tire:** 22x11-10

**Weight:** 950 lbs.

**WWW.THETURFTRADE.COM**  
**856-478-6704**





# SG52

# STEELGREEN MANUFACTURING



Feel the power and productivity of the SG52 zero-turn spreader/sprayer machine. With its dual 30-gallon spray tanks, Spyker 220-pound hydraulic-driven granular system, and high-density poly fertilizer trays, the SG52 holds up to 60 gallons of liquid and 320 pounds of granular product. Steel Green machines feature a decked-out 23.5-horsepower engine, making them the most powerful stand-on spreader/sprayer on the market today.

## SPECIFICATIONS

**Spray Capacity:** 60 gal.

**Spray Width:** Up to 10'

**Hopper Capacity:** 220 lbs.

**Fertilizer Tray Capacity:** Additional 100 lbs.

**Variable Spread Width:** Up to 25'

**Fuel Capacity:** 5 gal.

**Transport Speed:** Up to 10 mph

**Rate Production:** 240,000 sq. ft. per fill, based on 1/4-gal. spray nozzles

## FEATURES

All Stainless Steel Chassis

Zero-Turn Steering

23.5-HP Kawasaki® Engine (Ask about Vanguard® and Honda® options.)

30-Amp Charging System

Electric Start

75' Hose Reel

## DIMENSIONS

**Width:** 52"

**Length:** 75"

**Height:** 54"

**Front Tire:** 16x6.5-8

**Rear Tire:** 22x11-10

**Weight:** 970 lbs.

**WWW.THETURFTRADE.COM**  
**856-478-6704**





The SGXL is a 120-gallon zero-turn stand-on sprayer featuring a 14-foot, four-section, rear-mounted breakaway boom with electric hydraulic lift actuators that provide superior visibility to allow operators to monitor every nozzle's performance. Other standard features include a 100-foot hose reel, 2.5-gallon foam marker, hillside assist system, pressure control system, and LED light bar. Its size and versatility make the SGXL the perfect solution for many golf courses, sports fields, and commercial properties. Its 12-MPH transport speed and 27-GPM centrifugal pump save time, at a time when efficiency is everything.

## SPECIFICATIONS

**Spray Capacity:** 120 gal.

**Spray Width:** Up to 14'

**Hopper Capacity** (with kit\*): 350 lbs.

**Variable Spread Width** (with kit\*): Up to 25'

**Fuel Capacity:** 8 gal.

**Transport Speed:** 12 mph

**Rate Production:** 120,000 sq. ft. per fill, based on 1-gal. spray nozzles

*\*350-pound hopper kit with lift system is an attachment option*

## FEATURES

Adjustable Rear Boom

2.5-gal. Foam Marker

35-HP Kawasaki® Engine

Patent-Pending Hillside Stability System

Pressure Control System

LED Light Bar

100' Hose Reel

## DIMENSIONS

**Width:** 62"

**Length:** 91"


**Height:** 74" with boom up, 58" with boom down

**Front Tire:** 18x9.5-8

**Rear Tire:** 26x14-12

**Weight:** 2,220 lbs.





Patent-Pending Hillside Stability System



Pressure Control System



12' Adjustable Boom



2.5-Gallon Foam Marker



7-Gallon Independent Chemical Tank



35-Gallon Complete Drain Rectangle Tank



Dual Diaphragm Pumps



Dual Nozzle Boom



LED Light Kit

Accessories	SG36	SG46	SG52
Patent-Pending Hillside Stability System	✓	✓	✓
Pressure Control System	✓	✓	✓
2.5-Gallon Foam Marker	✓	✓	✓
7-Gallon Independent Chemical Tank	✓	✓	✓
Dual Diaphragm Pumps	✓	✓	✓
Dual Nozzle Boom	✓	✓	✓
LED Light Kit	✓	✓	✓
Coxreels® 75' Cox Hose Reel	✓	Included with base model	Included with base model
20-Gallon Rectangle Tank	✓	X	X
35-Gallon Complete Drain Rectangle Tank	X	✓	✓
12' Adjustable Boom	X	✓	✓





## SG ALL-GRANULAR

Replace the spray system and add carrying capacity to transform a Steel Green into a zero-turn, all-granular spreader with up to 550 pounds of capacity and up to 25' variable spread width. The heavy-duty stainless steel chassis is long-lasting and durable to withstand long-term commercial use, and a stainless steel side deflector offers increased perimeter efficiency and directional control.

### FEATURED IN PICTURE

- Snow Tires
- Hydraulic Lift Kit
- LED Light Kit
- Upgraded Fertilizer Trays



## SG ALL-LIQUID

Swap out the granular system for the 35-gallon\* complete drain rectangle tank for additional spray capacity, upgrade to dual pumps to spray up to 2 gallons per thousand square feet, and select the dual boom option for the ability to spray high- and low-volume applications simultaneously.

\*20-gallon tank option available for the SG36.

### FEATURED IN PICTURE

- Pressure Control System
- 35-Gallon Complete Drain Rectangle Tank
- 7-Gallon Independent Chemical Tank
- Dual Nozzle Boom
- Dual Pumps